



UFRPE

Universidade
Federal Rural
de Pernambuco



Gestão de Configuração de Software

Professor MSc Wylliams Barbosa Santos

Disciplina: Projeto de Sistemas Web

wylliams.wordpress.com

wylliamss@gmail.com





Agenda

- **Gestão de Configuração de Software**
- **Cenário com e sem Gestão de Configuração**
- **Sistema para Controle de Versão – Subversion**
- **Ferramentas para SVN**
- **Referência**

Gestão de Configuração de Software

Change Management - CM

Sosftware Configuration management - SCM

Gestão de Configuração de Software


... Arte de identificar, organizar e controlar modificações no software que está sendo construído por uma equipe de programação.

...objetivo é maximizar a produtividade pela minimização dos erros.

Gestão de Configuração de Software



Suporte de
Software



Gestão de
Configuração
de Software

Gestão de Configuração de Software




**“Não há nada permanente, exceto a
mudança.”**

Gestão de Configuração de Software




“A maioria das modificações no software é justificável. Assim, não vale a pena se queixar delas. Em vez disso, certifique-se de que dispõe de mecanismos para cuidar delas.”

Quais são as Mudanças?



Elementos de um SCM




Repositório

O Repositório do SCM tem um conjunto de mecanismos e dados estruturados que permite o gerenciamento das mudanças realizadas pelo time de desenvolvimento de uma maneira efetiva!


Papel do Repositório

- Integridade de dados;
- Compartilhamento de informação;
- Integração de ferramentas;
- Integração de dados;
- Imposição de metodologia;
- Padronização de documentação.


Conteúdo do Repositório



Processo de SCM



Desenvolvimento Sem Gerenciamento de Configuração



```
if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {  
  
    java.io.File file = db.getSelectedFile();  
    String file_name = file.toString();  
  
    try {  
        ReadFile file_read = new ReadFile(file_name);  
        String[] aryLines = file_read.OpenFile();  
        int i;  
        String theText = "";  
        for (i=0; i < aryLines.length; i++) {  
            theText = theText + aryLines[i] + '\n';  
        }  
  
        taOne.setText(theText);  
    }  
    catch (java.io.IOException e) {  
  
    }  
}
```



Não sabemos...



qual alteração foi feita!

quando foi feita!

quem fez!


Desenvolvimento Sem Gerenciamento de Configuração

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    try {
        ReadFile file_read = new ReadFile(file_name);
        String[] arylines = file_read.OpenFile();
        int i;
        String theText = "";
        for (i=0; i < arylines.length; i++) {
            theText = theText + arylines[i] + '\n';
        }

        taOne.setText(theText);
    }
    catch (java.io.IOException e) {
    }
}
    
```



```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    [Redacted]

    ReadFile file_read = new ReadFile(file_name);
    String[] arylines = file_read.OpenFile();
    int i;
    String theText = "";
    for (i=0; i < arylines.length; i++) {
        theText = theText + arylines[i] + '\n';
    }

    taOne.setText(theText);
}
catch (java.io.IOException e) {
}
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    [Redacted]

    ReadFile file_read = new ReadFile(file_name);
    String[] arylines = file_read.OpenFile();
    int i;
    String theText = "";
    for (i=0; i < arylines.length; i++) {
        theText = theText + arylines[i] + '\n';
    }

    [Redacted]
}
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    [Redacted]

    taOne.setText(theText);
    catch (java.io.IOException e) {
    }
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    [Redacted]

    taOne.setText(theText);
}
catch (java.io.IOException e) {
}
}
    
```


Desenvolvimento Sem Gerenciamento de Configuração

“A alteração feita pelo primeiro usuário não contém as informações feitas pelos outros usuários”

“Não temos histórico das alterações”



Desenvolvimento Com Gerenciamento de Configuração

```
if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {  
  
    java.io.File file = db.getSelectedFile();  
    String file_name = file.toString();  
  
    try {  
        ReadFile file_read = new ReadFile(file_name);  
        String[] aryLines = file_read.OpenFile();  
        int i;  
        String theText = "";  
        for (i=0; i < aryLines.length; i++) {  
            theText = theText + aryLines[i] + '\n';  
        }  
  
        taOne.setText(theText);  
    }  
    catch (java.io.IOException e) {  
  
    }  
}
```

Revisão 2

Revisão 3

Revisão 4

Revisão 5




Revisão 2

Revisão 5



Revisão 3



Revisão 4

Desenvolvimento Com Gerenciamento de Configuração

- Banco de dados apenas com as alterações e não todo documento;
- Sabemos quem, quando, o que e porque foi realizada a alteração;
- Comparar revisões diferentes (diff);
- Voltar para versão anterior sem perder a atual;
- Backup automático;
- Gerenciamento de qualquer tipo de documento.



UFRPE
Universidade
Federal Rural
de Pernambuco

Sistema de Controle de Versão Subversion



- Sistema de Controle de Versão Open Source
- Ambiente multi-usuários
- Documentos editados por várias pessoas



Tortoise SVN



TortoiseSVN

Subclipse (eclipse)



RapidSVN Portable



RapidSVN



Tortoise Browser

The screenshot shows the TortoiseBlame application window. The title bar reads "TortoiseBlame". The menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The address bar shows the path "X:\TortoiseSVN\src\TortoiseBlame". The left pane shows a folder tree with "TortoiseSVN" expanded to "src", where "TortoiseBlame" is selected. The main pane displays a list of files with columns for Name, Author, SVN Status, and SVN Revision. A context menu is open over the "TortoiseBlame" file, showing options like "Open", "SVN Update", "SVN Commit...", "TortoiseSVN", "UltraEdit-32", "WinRAR", "Send To", "Cut", "Copy", "Create Shortcut", "Delete", "Rename", "Properties", "Diff", "Show Log", "Repo-Browser", "Check for Modifications", "Revision Graph", "Update To Revision...", "Rename...", "Delete", "Revert...", "Get Lock...", "Branch/Tag...", "Switch...", "Merge...", "Blame...", "Create Patch...", "Help", "Settings", and "About".

Name	Author	SVN Status	SVN Revision
Makefile	steveking	modified	1701
resource	steveking	normal	1640
small.ico	steveking	normal	1690
Tortoise	steveking	normal	2419
Tortoise	steveking	normal	2419
Tortoise	luebbe	normal	1750
Tortoise			1640
Tortoise			2510

Tortoise Merging

SysImageList.cpp - TortoiseMerge

File Edit Navigate View Help

SysImageList.cpp

```

56
57 SHGetFileInfo(
58     T("Doesn't matter"),
59     FILE_ATTRIBUTE_DIRECTORY,
60     &sfi, sizeof sfi,
61     SHGFI_SYSICONINDEX | SHGFI_SMALLICON | SHG
62
63     return sfi.iIcon;
64 }
65
66 int CSysImageList::GetDefaultIconIndex() const
67 {
68     SHFILEINFO sfi;
69     // clear the struct
70     ZeroMemory(&sfi, sizeof sfi);
71
72     SHGetFileInfo(
73         T(""),
74         FILE_ATTRIBUTE_NORMAL,
75         &sfi, sizeof sfi,
76         SHGFI_SYSICONINDEX | SHGFI_SMALLICON | SHG
77

```

SysImageList.cpp

```

55
56 SHGetFileInfo(
57     T("blablab"),
58     FILE_ATTRIBUTE_DIRECTORY,
59     &sfi, sizeof sfi,
60     SHGFI_SYSICONINDEX | SHGFI_USEFILEATTRIB
61
62     return sfi.iIcon;
63 }
64 void CSysImageList::Test()
65 {
66     RunTests();
67 }
68
69 int CSysImageList::GetDefaultIconIndex() const
70 {
71     SHFILEINFO sfi;
72     ZeroMemory(&sfi, sizeof sfi);
73
74     SHGetFileInfo(T(""), FILE_ATTRIBUTE_NORMAL,
75

```

» » FILE_ATTRIBUTE_DIRECTORY, ↵
» » FILE_ATTRIBUTE_DIRECTORY, ↵

For Help, press F1. Scroll horizontally with Ctrl-Scrollwheel

Left View: ASCII CRLF / - 16 | Right View: ASCII CRLF / + 15 | Conflicts: 0 | CAP NUM SCRL



Subclipse

The screenshot shows the Eclipse IDE interface with the SVN Repository Exploring view. The left sidebar shows a tree view of the repository structure, including folders like 'branches', 'tags', 'trunk', and 'subclipse'. The 'core' folder under 'subclipse' is selected, and a context menu is open over it. The menu items include 'New', 'Show in Resource History', 'Create Unified Diff', 'Checkout...', 'Export...', 'Import...', 'Rename/move...', 'Branch/Tag...', 'Copy', 'Paste...', 'Delete...', 'Copy URL to Clipboard', 'Properties', and 'Refresh View'. The 'Checkout...' option is highlighted by the mouse cursor.


The main area displays the 'SVN Resource History' table for the 'core' folder. The table has columns for 'Rev...', 'Tags', 'Date', 'Author', and 'Comment'. The following table represents the data shown in the screenshot:

Rev...	Tags	Date	Author	Comment
1880		12/5/05 10:12 PM	markhip	Suppress logging of exceptions from s...
1876	0.9.101	12/5/05 9:24 AM	markhip	Bump revision to 0.9.101
		12/5/05 6:59 AM	fcoffee	Updated Chinese localization.
		12/4/05 11:06 AM	markhip	Further refinement of reporting of com...
		12/4/05 10:51 AM	markhip	Followup to previous commit. Change...
		12/3/05 9:34 PM	markhip	Fixed bug when committing via JavaSV...
		12/2/05 2:23 PM	markhip	Fix a potential NPE when the svn meta...
		12/2/05 1:33 PM	markhip	Throw an exception if user tries to mo...
		12/2/05 1:09 PM	markhip	Fix a potential NPE in SVNNotificationH...
		12/2/05 10:56 AM	markhip	Remove command line adapter as a Su...
		12/1/05 4:27 PM	markhip	When a Synchronization is pinned and ...
		12/1/05 11:55 AM	markhip	Bump revision to 0.9.100
		12/1/05 11:29 AM	markhip	Added code so that the svn:author an...
		12/1/05 10:52 AM	markhip	Added a workaround for "svn:author an...

Below the table, a snippet of XML code is visible, showing a 'Milestone 1 of new branch/tag support.' section with a 'subclipse:tags' property:

```
<!-- Milestone 1 of new branch/tag support. -->  
<code>  
Added support for a new  
subclipse:tags property that  
contains a list of values  
in this format:  
  
revnum,tag_name,relative_path,b  
branch/tag
```


Subclipse



The screenshot shows the Subclipse IDE interface. The left sidebar displays the project structure for 'org.tigris.subversion.subclipse.core'. The main editor area shows a comparison between a local file (revision 3857) and a remote file (BASE) for 'SVNClientManager.java'. The code is highlighted in pink. Below the editor, the 'History' view shows a table of revisions.

Revision	Date	Author	Comment
4298	2/18/09 4:03 PM	markhip	Merge all changes from tree-conflicts branch
4287	2/16/09 10:34 AM	selsemore	Return different paths for remote resources and works
4152	1/7/09 9:39 AM	selsemore	Log errors rather than printing stack trace. Issue #: 825
4150	1/6/09 10:27 AM	selsemore	Fix potential NPE if null progress monitor is passed to



RapidSVN Portable

The screenshot shows the RapidSVN application window. The title bar reads "RapidSVN". The menu bar includes "File", "View", "Create", "Modify", "Query", and "Help". Below the menu bar is a toolbar with various icons. The main area is divided into two panes. The left pane shows a tree view of the file system, with the "src" directory under "/home/alex/work/rapidsvn" selected. The right pane displays a table of files with the following columns: Name, Revision, Last change, Status, and Prop Status.

Name	Revision	Last change	Status	Prop Status
Makefile.in	3301	3297	normal	normal
report_dlg.cpp	3301	2833	normal	normal
rapidsvn.cpp	3303	3303	modified	normal
copy_action.cpp	3301	3162	normal	normal
action_thread.o			unversioned	non-svn
update_dlg.cpp	3301	3231	normal	normal
svn_file_info.cpp	3301	3251	normal	normal
exceptions.cpp	3301	2833	normal	normal
include.cpp	3301	2833	normal	normal
add_action.cpp	3301	3162	normal	normal
merge_action.cpp	3301	3279	normal	normal
delete_action.cpp	3301	3231	normal	normal
checkout_action.cpp	3301	3266	normal	normal
action_thread.cpp	3301	2833	normal	normal
import_action.cpp	3301	3264	normal	normal
add_action.o			unversioned	non-svn
tracer.cpp	3301	2833	normal	normal
checkout_dlg.o			unversioned	non-svn
checkout_dlg.cpp	3301	3266	normal	normal
commit_dlg.o			unversioned	non-svn
mkdir_action.cpp	3301	3252	normal	normal
commit_action.o			unversioned	non-svn
trace_commit.cpp	3301	2833	normal	normal
rapidsvn.rc	3301	3234	normal	non-svn
Makefile			unversioned	non-svn
resolve_action.cpp	3301	3162	normal	normal
commit_dlg.cpp	3301	3231	normal	normal

Listing entries in '/home/alex/work/rapidsvn/src'



UFRPE

Universidade
Federal Rural
de Pernambuco

Referência



- Engenharia de Software - Pressman - 6º Edição - cap 27

