

Controle de Versões Subversion

Professor MSc Wylliams Barbosa Santos

Disciplina: Projeto de Sistemas Web

wylliams.wordpress.com

wylliamss@gmail.com

Agenda


- **Subversion**
- **Controle de versão sem Subversion**
- **Controle de versão com Subversion**
- **Projetos Open Source**
- **Ferramentas**
 - **Tortoise**
 - **Subclipse (eclipse)**
 - **RapidSVN Portable**

Subversion

- **Sistema de Controle de Versão Open Source**
- **Ambiente multi-usuários**
- **Documentos editados por várias pessoas**



Controle de Versão Sem Subversion




```
if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {  
  
    java.io.File file = db.getSelectedFile();  
    String file_name = file.toString();  
  
    try {  
        ReadFile file_read = new ReadFile(file_name);  
        String[] aryLines = file_read.OpenFile();  
        int i;  
        String theText = "";  
        for (i=0; i < aryLines.length; i++) {  
            theText = theText + aryLines[i] + '\n';  
        }  
  
        taOne.setText(theText);  
    }  
    catch (java.io.IOException e) {  
  
    }  
}
```



Controle de Versão Sem Subversion

Não sabemos...



qual alteração foi feita!

quando foi feita!

quem fez!


Controle de Versão Sem Subversion

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    try {
        ReadFile file_read = new ReadFile(file_name);
        String[] arylines = file_read.OpenFile();
        int i;
        String theText = "";
        for (i=0; i < arylines.length; i++) {
            theText = theText + arylines[i] + '\n';
        }

        taOne.setText(theText);
    }
    catch (java.io.IOException e) {
    }
}
    
```



```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    [Redacted]

    ReadFile file_read = new ReadFile(file_name);
    String[] arylines = file_read.OpenFile();
    int i;
    String theText = "";
    for (i=0; i < arylines.length; i++) {
        theText = theText + arylines[i] + '\n';
    }

    taOne.setText(theText);
}
catch (java.io.IOException e) {
}
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    [Redacted]

    ReadFile file_read = new ReadFile(file_name);
    String[] arylines = file_read.OpenFile();
    int i;
    String theText = "";
    for (i=0; i < arylines.length; i++) {
        theText = theText + arylines[i] + '\n';
    }

    [Redacted]
}
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    [Redacted]

    taOne.setText(theText);
}
catch (java.io.IOException e) {
}
}
    
```

```

if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {
    java.io.File file = db.getSelectedFile();
    String file_name = file.toString();

    [Redacted]

    taOne.setText(theText);
}
catch (java.io.IOException e) {
}
}
    
```

Controle de Versão Sem Subversion

“A alteração feita pelo primeiro usuário não contém as informações feitas pelos outros usuários”

“Não temos histórico das alterações”



Controle de Versão Com Subversion

```
if (returnVal == javax.swing.JFileChooser.APPROVE_OPTION) {  
  
    java.io.File file = db.getSelectedFile();  
    String file_name = file.toString();  
  
    try {  
        ReadFile file_read = new ReadFile(file_name);  
        String[] aryLines = file_read.OpenFile();  
        int i;  
        String theText = "";  
        for (i=0; i < aryLines.length; i++) {  
            theText = theText + aryLines[i] + '\n';  
        }  
  
        taOne.setText(theText);  
    }  
    catch (java.io.IOException e) {  
  
    }  
}
```

 SUBVERSION

Revisão 2

Revisão 3

Revisão 4

Revisão 5




Revisão 2

Revisão 5



Revisão 3




Revisão 4

Controle de Versão Com Subversion

- Banco de dados apenas com as alterações e não todo documento;
- Sabemos quem, quando, o que e porque foi realizada a alteração;
- Comparar revisões diferentes (diff);
- Voltar para versão anterior sem perder a atual;
- Backup automático;
- Gerenciamento de qualquer tipo de documento.

Projetos Open Source



Como usar?

Tortoise SVN



Subclipse (eclipse)



RapidSVN Portable





Tortoise Browser

The screenshot shows the TortoiseBlame application window. The address bar displays the path `X:\TortoiseSVN\src\TortoiseBlame`. The left sidebar shows a file tree with the following structure:

- CD-RW Drive (E:)
- DVD Drive (F:)
- Data (X:)
 - Download
 - Screenshots
 - Subversion
 - TortoiseSVN
 - contrib
 - doc
 - ext
 - Languages
 - src
 - crashrpt
 - ResizableLib
 - Resources
 - ResText
 - SubWCRev
 - SVN
 - TortoiseBlame
 - TortoiseLang
 - TortoiseMerge
 - TortoisePlink
 - TortoiseProc
 - TortoiseShell
 - TortoiseSVNSetup
 - TSVNCache
 - Utils
- Control Panel
- My Network Places

The main pane displays a list of files with columns for Name, Author, SVN Status, and SVN Revision. A context menu is open over the 'TortoiseSVN' folder, showing options such as 'Open', 'Scan with OfficeScan Client', 'SVN Update', 'SVN Commit...', 'TortoiseSVN' (with a sub-menu), 'UltraEdit-32', 'WinRAR', 'Send To', 'Cut', 'Copy', 'Create Shortcut', 'Delete', 'Rename', 'Properties', 'Diff', 'Show Log', 'Repo-Browser', 'Check for Modifications', 'Revision Graph', 'Update To Revision...', 'Rename...', 'Delete', 'Revert...', 'Get Lock...', 'Branch/Tag...', 'Switch...', 'Merge...', 'Blame...', 'Create Patch...', 'Help', 'Settings', and 'About'.

Name	Author	SVN Status	SVN Revision
Makefile	steveking	modified	1701
resource	steveking	normal	1640
small.ico	steveking	normal	1690
Tortoise	steveking	normal	2419
Tortoise	steveking	normal	2419
Tortoise	luebbe	normal	1750
Tortoise			1640
Tortoise			2510

Shows information about TortoiseSVN

Tortoise Merging

SysImageList.cpp - TortoiseMerge

File Edit Navigate View Help



SysImageList.cpp

```

56
57 SHGetFileInfo(
58     T("Doesn't matter"),
59     FILE_ATTRIBUTE_DIRECTORY,
60     &sfi, sizeof sfi,
61     SHGFI_SYSICONINDEX | SHGFI_SMALLICON | SHG
62
63     return sfi.iIcon;
64 }
65
66 int CSystemImageList::GetDefaultIconIndex() const
67 {
68     SHFILEINFO sfi;
69     // clear the struct
70     ZeroMemory(&sfi, sizeof sfi);
71
72     SHGetFileInfo(
73         T(""),
74         FILE_ATTRIBUTE_NORMAL,
75         &sfi, sizeof sfi,
76         SHGFI_SYSICONINDEX | SHGFI_SMALLICON | SHG
77

```

SysImageList.cpp

```

55
56 SHGetFileInfo(
57     T("blablab"),
58     FILE_ATTRIBUTE_DIRECTORY,
59     &sfi, sizeof sfi,
60     SHGFI_SYSICONINDEX | SHGFI_USEFILEATTRIB
61
62     return sfi.iIcon;
63 }
64 void CSystemImageList::Test()
65 {
66     RunTests();
67 }
68
69 int CSystemImageList::GetDefaultIconIndex() const
70 {
71     SHFILEINFO sfi;
72     ZeroMemory(&sfi, sizeof sfi);
73
74     SHGetFileInfo(T(""), FILE_ATTRIBUTE_NORMAL,
75


```

>> FILE_ATTRIBUTE_DIRECTORY, <
 >> FILE_ATTRIBUTE_DIRECTORY, <

For Help, press F1. Scroll horizontally with Ctrl-Scrollwheel

Left View: ASCII CRLF / - 16 | Right View: ASCII CRLF / + 15 | Conflicts: 0 | CAP NUM| SCRL |

Subclipse



The screenshot shows the 'SVN Repository Exploring' window in Eclipse. The left pane displays a tree view of the repository structure, including 'branches', 'tags', 'trunk', and a subproject 'subclipse' with subfolders like 'book', 'core', and 'test'. A context menu is open over the 'core' folder, with 'Checkout...' selected. The right pane shows the 'SVN Resource History' table for the 'core' directory.

Rev...	Tags	Date	Author	Comment
1880		12/5/05 10:12 PM	markhip	Suppress logging of exceptions from s...
1876	0.9.101	12/5/05 9:24 AM	markhip	Bump revision to 0.9.101
		12/5/05 6:59 AM	fcoffee	Updated Chinese localization.
		12/4/05 11:06 AM	markhip	Further refinement of reporting of com...
		12/4/05 10:51 AM	markhip	Followup to previous commit. Change...
		12/3/05 9:34 PM	markhip	Fixed bug when committing via JavaSV...
		12/2/05 2:23 PM	markhip	Fix a potential NPE when the svn meta...
		12/2/05 1:33 PM	markhip	Throw an exception if user tries to mo...
		12/2/05 1:09 PM	markhip	Fix a potential NPE in SVNNotificationH...
		12/2/05 10:56 AM	markhip	Remove command line adapter as a Su...
		12/1/05 4:27 PM	markhip	When a Synchronization is pinned and ...
		12/1/05 11:55 AM	markhip	Bump revision to 0.9.100
		12/1/05 11:29 AM	markhip	Added code so that the svn:author an...

Below the table, a snippet of commit comments is visible:

```

Milestone 1 of new branch/tag
support.

Added support for a new
subclipse:tags property that
contains a list of values
in this format:

revnum,tag_name,relative_path,b
branch/tag
  
```

The status bar at the bottom shows the current path: `/trunk/subclipse/core` in `http://subclipse.tigris.org/svn/subclipse`.



Subclipse

The screenshot shows the Subclipse IDE interface. The left sidebar displays the project structure for 'org.tigris.subversion.subclipse.core'. The main editor area shows a comparison between a local file (revision 3857) and a remote file (BASE) for 'SVNClientManager.java'. The code is as follows:

```
public class SVNClientManager implements ISVNClientManager {
    private String svnClientInte...
    private String svnAdminDir = ...
    private File configDir = null...
    private boolean fetchChangePa...
    private boolean fetchChar...
    private HashMap clients = new...
}


public void startup(IPro...
```

At the bottom, the 'History' view shows a table of revisions:

Revision	Date	Author	Comment
4298	2/18/09 4:03 PM	markhip	Merge all changes from tree-conflicts branch
4287	2/16/09 10:34 AM	selsemore	Return different paths for remote resources and works
4152	1/7/09 9:39 AM	selsemore	Log errors rather than printing stack trace. Issue #: 825
4150	1/6/09 10:27 AM	selsemore	Fix potential NPE if null progress monitor is passed to



RapidSVN Portable



The screenshot shows the RapidSVN application window. The title bar reads "RapidSVN". The menu bar includes "File", "View", "Create", "Modify", "Query", and "Help". Below the menu bar is a toolbar with various icons. The main area is divided into two panes. The left pane shows a file tree structure under "Workbench", with the "src" folder selected. The right pane displays a table of files with the following columns: Name, Revision, Last change, Status, and Prop Status.

Name	Revision	Last change	Status	Prop Status
Makefile.in	3301	3297	normal	normal
report_dlg.cpp	3301	2833	normal	normal
rapidsvn.cpp	3303	3303	modified	normal
copy_action.cpp	3301	3162	normal	normal
action_thread.o			unversioned	non-svn
update_dlg.cpp	3301	3231	normal	normal
svn_file_info.cpp	3301	3251	normal	normal
exceptions.cpp	3301	2833	normal	normal
include.cpp	3301	2833	normal	normal
add_action.cpp	3301	3162	normal	normal
merge_action.cpp	3301	3279	normal	normal
delete_action.cpp	3301	3231	normal	normal
checkout_action.cpp	3301	3266	normal	normal
action_thread.cpp	3301	2833	normal	normal
import_action.cpp	3301	3264	normal	normal
add_action.o			unversioned	non-svn
tracer.cpp	3301	2833	normal	normal
checkout_dlg.o			unversioned	non-svn
checkout_dlg.cpp	3301	3266	normal	normal
commit_dlg.o			unversioned	non-svn
mkdir_action.cpp	3301	3252	normal	normal
commit_action.o			unversioned	non-svn
trace_commit.cpp	3301	2833	normal	normal
rapidsvn.rc	3301	3234	normal	non-svn
Makefile			unversioned	non-svn
resolve_action.cpp	3301	3162	normal	normal
commit_dlg.cpp	3301	3231	normal	normal

Listing entries in '/home/alex/work/rapidsvn/src'

